

DISTRIBUTION OF MISSING CARDS – A GOOD ESTIMATE

1. **Neatly complete the first eight rows of Pascal's Triangle:**

ROW #	PASCAL'S TRIANGLE	Total
0	1	1
1	1 1	2
2	1 2 1	4
3	1 3 3 1	8
4	1 4 6 4 1	16
5	1 5 10 10 5 1	32
6	1 6 15 20 15 6 1	64
7	1 7 21 35 35 21 7 1	128


2. A family has 5 children. What is the probability that they have:

- A. Exactly three girls? $5/16$ B. At least two boys? $13/16$ C. 4G, 1B or 1G, 4B? $5/16$

3. You flip one fair coin six times. What is the probability that you flip:

- A. 3 Heads and 3 Tails? $5/16$ B. 4H, 2T or 2H, 4T? $15/32$ B. All heads or all tails? $1/32$

4. On this grid, you can only travel on the gridlines and only East (E) and North (N).



A. How many different paths are there from START to A?

4 blocks: 2 E's, 2 N's; 6 paths

START

B. How many different paths are there from START to B? 7 blocks: 4 E's; 3 N's: 35 paths

C. BONUS: What is the probability that a path from START to B passes through A? $6 \cdot 3/35 = 18/35$

Pascal's Triangle provides exact answers to Questions #2-4, above, but only estimates for the following questions.

5. Dummy and you have a total of 8 Spades. Estimate the probability that the other five Spades are divided:

- A. 2-3 or 3-2? $5/8$ B. 1-4 or 4-1? $5/16$ C. 0-5 or 5-0? $1/16$

6. Dummy and you have a total of 9 Hearts. Estimate the probability that the other four Hearts are divided:

- A. 2-2? $3/8$ B. 1-3 or 3-1? $1/2$ C. 0-4 or 4-0? $1/8$

7. Dummy and you have a total of 8 Diamonds, missing the Jack, 10, 9, 8, and 2. You lead the Ace, King, and Queen of Diamonds. Estimate the probability that you take all the Diamond tricks. _____

The Diamonds must split 3-2 or 2-3: $(10+10)/32 = 5/8$

8. Dummy and you have a total of 7 Clubs, missing the Jack, 10, 9, 8, 5, and 2. You lead the Ace, King, and Queen of Clubs. Estimate the probability that you take all the Club tricks. _____

The Clubs must split 3-3: $20/64 = 5/16$

PASCAL'S TRIANGLE AS PERCENTS – STILL A GOOD ESTIMATE

It is often more convenient to express probabilities as percentages rather than as fractions. Of course, then each row must sum to 100%. Complete the first eight rows of Pascal's Percent Triangle. When needed, round to the nearest half of a percent. Due to rounding, some of your row sums will not be exactly 100%.

# of Cards	<i>PASCAL'S TRIANGLE as PERCENTS</i>								Total					
0	100								100					
1	50		50						100					
2	25		50		25				100					
3	12.5		37.5		37.5		12.5		100					
4	6		25		37.5		25		6	99.5				
5	3		15.5		31		15.5		3	99				
6	1.5		9		23		31		23	9	1.5	98		
7	1		5		16		27		27		16	5	1	98

- If Dummy and you are missing six cards in a suit, estimate the percent probability that they split:

A. 3-3? 31% B. 4-2 or 2-4? 46% C. neither A nor B? 21% [or 23%]
- Dummy and you have 10 Spades, missing the Queen, 4, and 2. If you lead the Ace and King, estimate the percent probability that you take all the Spade tricks. _____
 They must split 1-2 or 2-1: $2 * 37.5 = 75\%$
- Dummy and you have 9 Diamonds, missing the Queen, Jack, 7, and 2. If you lead the Ace and King, estimate the percent probability that you take all the Diamond tricks. _____
 They must split 2-2: **37.5%**
- Dummy and you have 8 Hearts, missing the Queen, Jack, 6, 3, and 2. If you lead the Ace and King, estimate the percent probability that you take all the Heart tricks. _____
 The only way is if the Q and J are a "doubleton" which can occur in two ways [E or W]: $2/32 = 6.125\%$
- Dummy and you have 9 Diamonds, missing the Queen, 7, and 2. If you lead the Ace and King, estimate the percent probability that you take all the Diamond tricks. _____
 They must split 2-2 OR the Queen must be a "singleton" which can occur in two ways: $6/16 + 2/16 = 50\%$

CARD DISTRIBUTIONS – THE EXACT PROBABILITIES

For *independent events* such as boys/girls in a family [or flipping a fair coin], the probability of the next child [or coin] being “Girl” [or “tail”] remains 50% and is not dependent on the gender of the previous child [or result of previous coin flip]. Because of that, *Pascal’s Triangle* provides their exact distributions and probabilities. However, the probability that the “next” card is a Heart does change based on whether the previous cards were or were not Hearts. Each probability **IS dependent** on previous cards. Therefore the distribution of cards is a *dependent event* and Pascal’s Triangle only provides (good) estimates of the distributions of the cards.

EXAMPLE

Dummy and you have 8 Hearts. According to Pascal’s Triangle, the probability that West has 3 Hearts and East has 2 Hearts is approximately $10/32 = 31.25\%$. Now let’s compute the exact probability.

West and East have a total of 26 cards of which **5** are Hearts and **21** are not Hearts. Let’s calculate the probability that your West opponent has exactly 3 Hearts.

The total number of different hands West could have is $C(26, 13) = 10,400,600$. The number of West hands with exactly 3 Hearts is $C(5, 3) * C(21, 10) = 3,527,160$. Probability = $C(5, 3) * C(21, 10) / C(26, 13) = 33.9\%$ [about 2.7% higher]

EXACT Probabilities versus “Pascal Triangle Estimates”

6A. If East and West have 5 Hearts, use the Table from page 2 to compute the estimated probability that they are split:

$$3-2 \text{ or } 2-3: \underline{2*31\% = 62\%}; \quad 4-1 \text{ or } 1-4: \underline{2*15.5\% = 31\%} \quad 5-0 \text{ or } 0-5: \underline{2*3\% = 6\%}$$

6B. Use the ‘combination method’ [above] to compute these exact probabilities.:

$$3-2 \text{ or } 2-3: \underline{2*33.9\% = 67.8\%}; \quad \{\text{about 5\% higher}\}$$

$$4-1 \text{ or } 1-4: 2 * C(5, 1) * C(21, 12) / C(26, 13) = \underline{28.3\%} \quad \{\text{about 3\% lower}\}$$

$$5-0 \text{ or } 0-5: 2 * C(5, 0) * C(21, 13) / C(26, 13) = \underline{3.9\%} \quad \{\text{about 2\% lower}\}$$